

3401 Grays Ferry Avenue, Building 176, Philadelphia PA 19146 Website: <u>www.allevi3D.com</u> Email: <u>info@allevi3D.com</u>

Safety Data Sheet

1. Identification

Product Name	3D-Graphene
Substance/Mixture	Mixture – methylene chloride, graphene, 2-butoxyethanol, dibutyl phthalate
Company:	Allevi, Inc. and Dimension Inx
Address	3401 Grays Ferry Avenue, Building 176, Philadelphia PA 19146
Telephone	215-588-8937
Email	info@allevi3D.com

2. Hazards Identification


Classification of the substance of	r mixture		
Physical Hazards	Hazards Skin irritation, eye irritation, may cause respiratory irritation, may cause drowsiness or dizziness.		
Health Hazards	Suspected of causing cancer, may damage fertility or the unborn child, may cause damage to organs (liver, blood) through prolonged or repeated exposure if swallowed, may cause damage to organs (central nervous system) through prolonged or repeated exposure if swallowed.		
Environmental Hazards	mental Hazards Toxic to aquatic life.		
Label Elements, including preca	Label Elements, including precautionary statements		
Pictograms or hazard symbols			
Signal word	Danger		
Hazard Statements	 H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H351 Suspected of causing cancer. H360 May damage fertility or the unborn child. 		
	H373 May cause damage to organs (Liver,		

ALLEVI


	Blood) through prolonged or repeated	
	exposure if swallowed.	
	H373 May cause damage to organs	
	(Central nervous system) through	
	prolonged or repeated exposure if	
	inhaled.	
	H401 Toxic to aquatic life.	
Precautionary statements	P201 Obtain special instructions before	
Treeautionary statements		
	use. D202 Do not hondle until all sofato	
	P202 Do not handle until all safety	
	precautions have been read and	
	understood.	
	P260 Do not breathe dust/ fume/ gas/ mist/	
	vapors/ spray.	
	P264 Wash skin thoroughly after	
	handling.	
	P271 Use only outdoors or in a well-	
	ventilated area.	
	P273 Avoid release to the environment.	
	P280 Wear protective gloves/ protective	
	clothing/ eye protection/ face protection.	
	P302 + P352 IF ON SKIN: Wash with	
	plenty of soap and water.	
	P304 + P340 + P312 IF INHALED:	
	Remove person to fresh air and keep	
	comfortable for breathing. Call a POISON	
	CENTER/doctor if you feel unwell.	
	P305 + P351 + P338 IF IN EYES: Rinse	
	cautiously with water for several minutes.	
	Remove contact lenses, if present and easy	
	to do. Continue rinsing.	
	P308 + P313 IF exposed or concerned:	
	Get medical advice/ attention.	
	P332 + P313 If skin irritation occurs: Get	
	medical advice/ attention.	
	P337 + P313 If eye irritation persists: Get	
	medical advice/ attention.	
	P362 Take off contaminated clothing and	
	-	
	wash before reuse.	
	P403 + P233 Store in a well-ventilated	
	place. Keep container tightly closed.	
	P405 Store locked up.	
	P501 Dispose of contents/ container to an	
	approved waste disposal plant.	
	I I I I I I I I I I I I I I I I I I I	

ΛLLΕVΙ

NFPA ratings (scale 0-4):



HMIS-Ratings (scale 0 -4):



Other Hazards not otherwise classified (HNOC) or not covered by GHS - none

Results of PBT and vPvB assessment: PBT: Not required/not conducted

vPvB: Not required/not conducted

3. Composition/Information on Ingredients

Methylene chloride	
Substance	
Methylene chloride	$\geq 50\% \leq 70\%$
CH ₂ Cl ₂	
84.93	
75-09-2	
Notice through Official Gazettes Reference Numbers	
200-838-9	
602-004-00-3	
	Substance Methylene chloride CH2Cl2 84.93 75-09-2 erence Numbers 200-838-9

Product Name	Graphene	
Substance/Mixture	Substance	
Chemical composition	Graphene	\geq 30% \leq 50%

ΛLLΕVΙ

CAS Number	1034343-98-0
Notice through Official Gazettes Reference Numbers	

Product Name	2-Butoxyethanol	2-Butoxyethanol	
Substance/Mixture	Substance	Substance	
Chemical composition	2-Butoxyethanol	$\geq 10\% \leq 20\%$	
Chemical Formula	CH ₃ (CH ₂) ₃ OCH ₂ CH ₂ OH	H	
Mean Molecular Weight	118.17	118.17	
CAS Number	111-76-2		
Notice through Official Gazettes Reference Numbers			
ENCS	203-905-0		
Index-No.	603-014-00-0		

Product Name	Dibutyl phthalate	
Substance/Mixture	Substance	
Chemical composition	Dibutyl phthalate	≥ 5% ≤ 10%
Chemical Formula	C ₆ H ₄ -1,2-[CO ₂ (CH ₂) ₃ CH ₃] ₂	
Mean Molecular Weight	278.34	
CAS Number	84-74-2	
Notice through Official Gazettes Reference Numbers		
ENCS	201-557-4	
Index-No.	607-318-00-4	
Registration number	01-2119493042-44-XXXX	

Dibutyl phthalate is included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)

4. First Aid Measure

After Inhalation:	Move person into fresh air. If not breathing, give artificial respiration. Consult a physician.	
After Skin Contact:	Wash off with soap and plenty of water. Consult a physician.	
After Eye Contact:	Rinse thoroughly with plenty of water for at least 15 minutes. Consult a physician.	
Ingestion	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.	

ALLEVI

Most important symptoms and effects, both acute and delayed	The most important known symptoms and effects are described in section 12.
Indication of any immediate medical attention	No further relevant information available.
and special treatment needed	

5. Fire-fighting Measures

r n c-ngnting witasures		
Suitable Extinguishing Media:	Use water spray, alcohol-resistant foam, dry chemical or carbon	
	dioxide.	
Specific hazards arising from the chemical:	No data available.	
Precautions for Firefighters:	Wear self-contained breathing apparatus for firefighting if	
	necessary.	
Further information:	No data available.	

6. Accidental Release Measures

Personal Precautions, Protective equipment and emergency procedures	Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.
Environmental Precautions:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
Methods and materials for containment and cleaning up:	Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.
Reference to other sections:	For disposal see section 13.

7. Handling and Storage

Precautions for Safe Handling	
Technical Measures:	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. For precautions see section 2.
Conditions for safe storage, including any inc	ompatibilities
Storage Conditions:	 Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Recommended storage temperature: 2 – 8 °C Air -, heat-, and moisture-sensitive. Do not freeze.
Specific end use(s)	No further relevant information available.

8. Exposure Controls/Personal Protection

Component	CAS-No.	Value	Control	Basis
			Parameters	
Methylene chloride	75-09-2	TWA	50.000000 ppm	USA. ACGIH Threshold
				Limit Values (TLV)
		Central nervous system im	pairment	
		Carboxyhemoglobinemia		
		Substances for which there	is a Biological Expo	osure Index or Indices



		Confirmed animal carcin	ogen with unknown re	elevance to humans
		TWA	50 ppm	USA. ACGIH Threshold
				Limit Values (TLV)
		Central nervous system i		
		Carboxyhemoglobinemia		
		Substances for which there is a Biological Exposure Index or Indices Confirmed animal carcinogen with unknown relevance to humans		
		Substance listed; for mor		
		Substance listed; for mor	re information see OSF	IA document 1910.1052
		See Table Z-2	25 00000	
		PEL	25.000000 ppm	OSHA Specifically Regulated Chemicals/Carcinogens
		1910.1052		
		(MC), Chemical Abstractindustry, construction and means an organic composition of the second	cts Service Registry N d shipyard employmen und with chemical form ry Number is 75-09-2.	The second secon
		STEL	125.000000 ppm	OSHA Specifically
		STEE	125.000000 ppm	Regulated
				Chemicals/Carcinogens
		1910.1052		
			all occupational expos	ures to methylene chloride
				Number 75-09-2, in general
		· · · · · · · · · · · · · · · · · · ·	0,1	t. Methylene chloride (MC)
				nula, CH2CL2. Its Chemical
				Its molecular weight is 84.9
		g/mole.		C
		OSHA specifically regul	ated carcinogen.	
		PEL	25 ppm	California permissible
			87 mg/m3	exposure limits for
			-	chemical contaminants
				(Title 8, Article 107)
		STEL	125 ppm	California permissible
			435 mg/m3	exposure limits for
				chemical contaminants
				(Title 8, Article 107)
2-Butoxyethanol	111-76-2	TWA	20.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Upper Respiratory Tract	Irritation	
		Eye irritation		
		Substances for which the		
		Confirmed animal carcin		
		TWA	5.000000 ppm	USA. NIOSH
			24.000000 mg/m3	Recommended Exposure
		Detention 1 (201 - 1 - 1 - 1		Limits
		Potential for dermal abso	1	
		TWA	50.000000 ppm	USA. Occupational
				Exposure Limits (OSHA)



			240.000000	– Table Z-1 Limits for Air
			mg/m3	Contaminants
		Skin designation		•
		The value in mg/m3 is app	proximate.	
		PEL	20 ppm	USA. ACGIH Threshold
			97 mg/m3	Limit Values (TLV)
		Skin	, 0 ,	
Dibutyl phthalate	84-74-2	TWA	5.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Upper Respiratory Tract In Eye irritation Testicular damage	rritation	
		TWA	5 mg/m3	USA. ACGIH Threshold
				Limit Values (TLV)
		Upper Respiratory Tract In Eye irritation Testicular damage	rritation	
		TWA	5.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) – Table Z-1 Limits for Air Contaminants
		TWA	5.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	5 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

Personal protective equipment	
Eye/face protection:	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. For precautions see section 2.
Skin protection:	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.
Body protection:	Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection:	Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Control of environmental exposure:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

ALLEVI

9. Physical and Chemical Properties

Appearance	Form: liquid
Odor	Stench.
Odor Threshold	No data available
рН	No data available
Melting point/freezing	No data available
Initial boiling point and boiling range	39°C (102°F)
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapor pressure	No data available
Vapor density	1.5 – 1.8 g/cm3 at 25°C (77°F)
Relative density	No data available
Water solubility	No data available
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

10. Stability and Reactivity

Reactivity	No data available
Chemical Stability	Stable under recommended storage conditions
Possibility of hazardous reactions	No data available
Conditions to avoid	No data available
Incompatible materials	Strong oxidizing agents
Hazardous decomposition products	 Hazardous decomposition products formed under fire conditions. – Carbon oxides, Nitrogen oxides (NOx), Hydrogen chloride gas Other decomposition products – No data available In the event of fire: see section 5

ΛLLΕVΙ

11. Toxicological Information

Acute toxicity:	No data available
	Inhalation: no data available
	Dermal: no data available
Skin corrosion/irritation:	No data available
Serious eye damage/irritation:	No data available
Respiratory or skin sensitization:	No data available
Germ cell mutagenicity:	No data available
Carcinogenicity:	IARC: No component of this product present at levels greater
	than of equal to 0.1% is identified as probable, possible or
	confirmed human carcinogen by IARC.
	NTP: No component of this product present at levels greater
	than or equal to 0.1% is identified as a known or anticipated
	carcinogen by NTP.
	OSHA: OSHA specifically regulated carcinogen (Methylene
	chloride)
Reproductive toxicity:	No data available
Specific target organ toxicity - single	No data available
exposure:	
Specific target organ toxicity - repeated	No data available
exposure:	
Aspiration hazard:	No data available
Additional Information:	RTECS: Not available
	To the best of our knowledge, the chemical, physical, and
	toxicological properties have not been thoroughly investigated.
	Stomach Irregularities Deced on Human Evidence
	Stomach – Irregularities – Based on Human Evidence Stomach – Irregularities – Based on Human Evidence
	(Methylene chloride)
	Stomach – Irregularities – Based on Human Evidence (2-
	Butoxyethanol)
	Central nervous system – (Dibutyl phthalate)

12. Ecological Information

Ecological Information	
Toxicity	No data available
Persistence/degradability:	No data available
Bioaccumulative Potential:	No data available
Mobility in Soil	No data available
Results of PBT and vBvB assessment	PBT/vPvB assessment was not available as chemical safety assessment not required/not conducted
Other adverse effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

13. Disposal Considerations

Waste Treatment methods	Offer surplus and non-recyclable solutions to a
	licensed disposal company. Contact a licensed
	professional waste dispose of this material. Dissolve
	or mix the material with a combustible solvent and
	burn in a chemical incinerator equipped with an
	afterburner and scrubber.

Uncleaned packaging	Dispose of as unused product.
---------------------	-------------------------------

14. Transport Information

DOT (US)	UN number: 1593 Class: 6.1 Packing group: III
	Proper shipping name: dichloromethane, solution
	Reportable Quantity (RQ): 200 lbs
	Poison inhalation hazard: no
IMDG	UN number: 1593 Class: 6.1 Packing group: III
IMDO	EMS-No: F-A, S-A
	Proper shipping name: DICHLOROMETHANE,
	SOLUTION
ΙΑΤΑ	UN number: 1593 Class: 6.1 Packing group: III
	Proper shipping name: dichloromethane, solution
	rioper simpping nume, diemoromentale, solution

15. Regulatory information

Regulatory information	
SARA 302 Components	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313 Components	The following components are subject to reporting levels established by SARA Title III, Section 313:
	Methylene chloride CAS-No. 75-09-2 Revision date 2007-07-01
	Dibutyl phthalate CAS-No. 84-74-2 Revision date 2007-07-01
	2-Butoxyethanol CAS-No. 111-76-2 Revision date 1993-04-24
Section 311/312:	Acute Health Hazard, Chronic Health Hazard
Massachusetts Right to Know Components	Methylene chloride CAS-No. 75-09-2 Revision date 2007-07-01
	Dibutyl phthalate CAS-No. 84-74-2 Revision date 2007-07-01
	2-Butoxyethanol CAS-No. 111-76-2 Revision date 1993-04-24
Pennsylvania Right to Know Components	Methylene chloride CAS-No. 75-09-2 Revision date 2007-07-01
	Dibutyl phthalate CAS-No. 84-74-2 Revision date 2007-07-01
	2-Butoxyethanol CAS-No. 111-76-2 Revision date 1993-04-24



	Graphene CAS-No. 1034343-98-0
	MAXPRENE MX2, PLGA, PLA-co-PGA CAS-No. 30846-39-0
New Jersey Right to Know Components	Methylene chloride CAS-No. 75-09-2 Revision date 2007-07-01
	Dibutyl phthalate CAS-No. 84-74-2 Revision date 2007-07-01
	2-Butoxyethanol CAS-No. 111-76-2 Revision date 1993-04-24
	Graphene CAS-No. 1034343-98-0
	MAXPRENE MX2, PLGA, PLA-co-PGA CAS-No. 30846-39-0
California Prop. 65 Components	WARNING! This product contains a chemical known to the State of California to cause cancer.
	Methylene chloride CAS-No. 75-09-2 Revision date 2007-09-28
	WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
	Dibutyl phthalate CAS-No. 84-74-2 Revision date 2008-06-17

16. Other Information

This information is based on our present knowledge. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility. Allevi, Inc. and its affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. This document and information shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.